## NSN 5935-00-841-7904

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-841-7904 **Thread Class:** 2a and 2a and 2a **Body Style:** Straight shape **Overall Length:** 1.560 inches **Overall Height:** 0.530 inches **Overall Width:** 0.500 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 34 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Jackscrew **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 56 and 56 and 56 **Thread Size:** 0.086 inches and 0.086 inches and 0.086 inches **Terminal Location:** 

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

### **Contact Surface Treatment:**

Gold single mating end single contact grouping

#### **Insert Material:**

Plastic diallyl phthalate single mating end

#### **Terminal Type:**

Solder well single mating end single contact grouping

#### **Included Contact Quantity:**

34 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

# NSN 5935-00-841-7904

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Contact surfaces gold
Precious Material And Weight:
0.034 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0