NSN 5935-00-846-2724

Electrical Receptacle Connector - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5935-00-846-2724

Thread Class:

2a

Thread Pitch Diameters:

+1.3026/+1.3120 inches

Thread Direction:

Right-hand

Body Style:

Straight shape, external coupling strain relief

Overall Height:

Between 1.328 inches and 1.358 inches

Overall Width:

Between 1.328 inches and 1.358 inches

Body Length:

1.900 inches

Unthreaded Mounting Hole Diameter:

Between 0.115 inches and 0.125 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.047 inches and 1.077 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.047 inches and 1.077 inches

Cable Entrance Diameter:

0.656 inches

Distance From Mounting Shoulder To Front Face:

Between 0.360 inches and 0.390 inches

Threaded Device Type:

Coupling facility

Mating End Quantity:

1

Contact Position Arrangement Style:

30 single mating end

Contact Removability:

Removable single mating end all contact groupings

Contact Maximum Current Rating In Amps:

7.5 single mating end all contact groupings

Contact Maximum Ac Voltage Rating In Volts:

900.0 single mating end 1st contact grouping

Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end 2nd contact grouping

Polarization Method:

Key, multiple key groove

Insert Position In Deg:

0.0

NSN 5935-00-846-2724

Shell Type:

Solid

Electrical Receptacle Connector - Page 2 of 3



Connector Locking Method:
Externally threaded shell
Connector Cable Strain Relief Method:
ntegral clamp
Thread Length:
0.375 inches
Thready Qty Per Inch (tpi):
6
Thread Size:
1.312 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings and silver single mating end all contact groupings
nsert Material:
Plastic polyamide single mating end
Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
ncluded Contact Quantity:
3 single mating end 1st contact grouping
ncluded Contact Type:
Round pin single mating end all contact groupings
Special Features:
Furnished items - grommet
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.030 gold grains, troy and 0.030 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Special acme
Shelf Life:
N/a
Unit Of Measure:

NSN 5935-00-846-2724

Electrical Receptacle Connector - Page 3 of 3



Demilitarization:

No

Fiig:

A039b0