## NSN 5935-00-846-2727



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-846-2727 **Thread Class:** 2a **Thread Pitch Diameters:** +1.179/+1.188 inches **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling strain relief **Overall Length:** 1.250 inches **Overall Height:** 1.250 inches **Overall Width:** 1.250 inches **Environmental Protection:** Salt water resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.972 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.972 inches **Distance From Mounting Shoulder To Front Face:** 0.375 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 19-20 single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 2400.0 single mating end 1st contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 1250.0 single mating end 2nd contact grouping **Polarization Method:** 

Polarization Method

Keyway or multiple keyway

**Insert Position In Deg:** 

80.0

## NSN 5935-00-846-2727

A039b0

Electrical Receptacle Connector - Page 2 of 2



Shall Type:
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Connector Cable Strain Relief Method:
Cable clamp
Thready Qty Per Inch (tpi):
6
Thread Size:
1.188 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings and silver single mating end all contact groupings
Insert Material:
Plastic polyamide single mating end
Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
3 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.020 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Special acme
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig: