## NSN 5935-00-846-3886

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-846-3886

Body Style:
Straight shape
Overall Length:
2.721 inches
Overall Height:
0.750 inches
Overall Width:
0.686 inches
Unthreaded Mounting Hole Diameter:
Between 0.151 inches and 0.161 inches
Distance Between Mounting Facility Centers:
Between 2.365 inches and 2.385 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Insert Material Specification:
Mil-m-14, type mme military specification single material response single mating end

Included Contact Quantity:

10 single mating end single contact grouping

## NSN 5935-00-846-3886

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Right-angle, pcb mtg. Type
Precious Material And Location:
Contact surface gold and contact surface silver
Precious Material:
Gold and silver
Reference Number Differentiating Characteristics:
Polarized by removal of pin b (insert has 11 pin positions)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-m-14 spec.

Mil-std (military Standard):