Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-849-6033

| View Online at https://aerobasegroup.com/nsn/5935-00-849-6033 |
|--|
| Thread Class: |
| 2a |
| Thread Direction: |
| Right-hand |
| Overall Length: |
| 0.812 inches |
| Bushing Diameter: |
| 0.375 inches |
| Overall Diameter: |
| 1.500 inches |
| Threaded Device Type: |
| Mounting bushing |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| N single mating end |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Bayonet pin |
| Radio Frequency Type Contact Characteristic Impedance In Ohms: |
| 52.0 single mating end single contact grouping |
| Thready Qty Per Inch (tpi): |
| |
| 32 |
| 32 Thread Size: |
| |
| Thread Size: |
| Thread Size: 0.375 inches |
| Thread Size: 0.375 inches Terminal Location: |
| Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping |
| Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: |
| Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping |
| Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: |
| Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping |
| Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: |
| Thread Size:0.375 inchesTerminal Location:Back single mating end single contact groupingContact Material:Copper alloy single mating end single contact groupingContact Surface Treatment:Gold single mating end single contact groupingInsert Material:Plastic tetrafluoroethylene single mating end |
| Thread Size:0.375 inchesTerminal Location:Back single mating end single contact groupingContact Material:Copper alloy single mating end single contact groupingContact Surface Treatment:Gold single mating end single contact groupingInsert Material:Plastic tetrafluoroethylene single mating endTerminal Type: |
| Thread Size:0.375 inchesTerminal Location:Back single mating end single contact groupingContact Material:Copper alloy single mating end single contact groupingContact Surface Treatment:Gold single mating end single contact groupingInsert Material:Plastic tetrafluoroethylene single mating endTerminal Type:Solder well single mating end single contact grouping |
| Thread Size:0.375 inchesTerminal Location:Back single mating end single contact groupingContact Material:Copper alloy single mating end single contact groupingContact Surface Treatment:Gold single mating end single contact groupingInsert Material:Plastic tetrafluoroethylene single mating endTerminal Type:Solder well single mating end single contact groupingShell Material: |
| Thread Size:0.375 inchesTerminal Location:Back single mating end single contact groupingContact Material:Copper alloy single mating end single contact groupingContact Surface Treatment:Gold single mating end single contact groupingInsert Material:Plastic tetrafluoroethylene single mating endTerminal Type:Solder well single mating end single contact groupingShell Material:Copper alloy |



Included Contact Type:

Coaxial socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.005 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0