Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-850-0988

| Body Style: |
|--|
| Straight shape |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.000 inches |
| Overall Height: |
| 1.125 inches |
| Overall Width: |
| 0.998 inches |
| Environmental Protection: |
| Moisture resistant |
| Unthreaded Mounting Hole Diameter: |
| 0.138 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 0.562 inches |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 32 single mating end |
| Polarization Method: |
| Shell |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Friction |
| Insert Material: |
| Plastic diallyl phthalate single mating end |
| Shell Material: |
| Aluminum |
| Shell Surface Treatment: |
| Cadmium |
| Shell Surface Treatment Specification: |
| Qq-p-416, type 2, cl 2 federal specification single treatment response |
| Shell Material Specification: |
| Qq-a-591 federal specification single material response |
| Insert Material Specification: |
| Mil-m-14, ty sdg military specification single material response single mating end |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |



Fiig: A039b0

Mil-std (military Standard):

Mil-m-14 spec.