NSN 5935-00-850-5232

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-850-5232 **Thread Direction:** Right-hand and right-hand **Overall Length:** 2.000 inches **Overall Height:** 1.312 inches **Overall Width:** 1.188 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 0.906 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.906 inches **Cable Entrance Diameter:** 0.206 inches **Threaded Device Type:** Coupling facility and mounting hole **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 353.0 single mating end single contact grouping **Connector Locking Method:** Externally threaded shell **Connector Cable Strain Relief Method:** Conduit nut Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thready Qty Per Inch (tpi): 40 and 32 **Thread Size:** 0.750 inches and 0.138 inches **Insert Material:** Plastic single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize **Included Contact Quantity:**

1 single mating end single contact grouping

Included Contact Type:

Coaxial socket single mating end single contact grouping

NSN 5935-00-850-5232

Electrical Receptacle Connector - Page 2 of 2



Thread	Series	Designator:

Uns and unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0