NSN 5935-00-851-1073

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-851-1073 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 0.938 inches **Overall Diameter:** 0.375 inches **Mounting Facility Thickness:** 0.156 inches **Threaded Device Type:** Back shell and mounting hole **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Spring friction Thready Qty Per Inch (tpi): 28 Thread Size: 0.312 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Rhodium single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end

Terminal Type: Solder well singl

Solder well single mating end single contact grouping

Shell Material:

Copper alloy

NSN 5935-00-851-1073 Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Silver
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round
Included Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Contact surface rhodium and shell surface silver
Precious Material And Weight:
0.005 rhodium grains, troy and 0.100 silver grains, troy
Precious Material:
Rhodium and silver
Thread Series Designator:
Un
Shelf Life:
N/a
Unit Of Measure:
.
Demilitarization:
No
Fiig:
A039b0