# NSN 5935-00-857-2012

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-857-2012

**Body Style:** 

Straight edge type w/mounting flange

**Overall Length:** 

6.469 inches

**Overall Height:** 

0.626 inches

**Overall Width:** 

0.438 inches

**Unthreaded Mounting Hole Diameter:** 

0.125 inches

**Distance Between Mounting Facility Centers:** 

6.219 inches

**Board Accommodated Length:** 

5.766 inches single board

**Board Accommodated Width:** 

Between 0.054 inches and 0.071 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of independent contacts inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

10.0 single mating end single contact grouping

**Polarization Method:** 

Contact

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and silver single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Mil-g-14548 military specification 1st treatment response single mating end single contact grouping and qq-s-365, type 2, grade a federal specification 2nd treatment response single mating end single contact grouping

**Criticality Code Justification:** 

Feat

**Terminal Type:** 

Pin single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-533 federal specification single material response single mating end single contact grouping

# NSN 5935-00-857-2012

Electrical Receptacle Connector - Page 2 of 2



#### **Insert Material Specification:**

Mil-m-19833, type gdi-30 military specification single material response single mating end

## **Included Contact Quantity:**

72 single mating end single contact grouping

## **Included Contact Type:**

Leaf spring single mating end single contact grouping

#### **Special Features:**

Polarized at position 11 and 31

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

#### **Precious Material And Weight:**

0.072 gold grains, troy and 0.072 silver grains, troy

#### **Precious Material:**

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-14548 spec.