## NSN 5935-00-865-5865

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-865-5865

**Body Style:** Right angle type **Overall Length:** 4.300 inches Overall Width: 0.360 inches **Body Height:** 0.360 inches **Environmental Protection:** Moisture resistant and salt water resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.135 inches **Distance Between Mounting Facility Centers:** 4.000 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Connector Locking Method:** Friction **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Contact Surface Treatment Specification:** Mil-q-45204 type 2 class 1 military specification 1st treatment response single mating end single contact grouping and qq-365 type 2 federal specification 2nd treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Contact Material Specification:** Qq-b-750 comp a, soft federal specification single material response single mating end single contact grouping **Insert Material Specification:** 

Included Contact Quantity:

37 single mating end single contact grouping

Mil-m-14 type sdi-5 military specification single material response single mating end

## NSN 5935-00-865-5865

Electrical Receptacle Connector - Page 2 of 2



ncluded	Contact	Type:
---------	---------	-------

Round socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:** 

0.037 gold grains, troy and 0.037 silver grains, troy

**Precious Material:** 

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.