Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-866-3025

Thread Class:	
2b	
Thread Direction:	
Right-hand	
Body Style:	
Rectangular shape	
Overall Length:	
0.600 inches	
Overall Height:	
0.344 inches	
Overall Width:	
0.600 inches	
Threaded Device Type:	
Coupling facility	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
32 single mating end	
Contact Removability:	
Nonremovable single mating end 1st contact grouping	
Polarization Method:	
Jackscrew	
Connector Locking Method:	
Threaded hole	
Thread Length:	
0.240 inches	
Features Provided:	
Pre-tinned terminal	
Thready Qty Per Inch (tpi):	
40	
Thread Size:	
0.120 inches	
Terminal Location:	
Back single mating end 1st contact grouping	
Contact Material:	
Copper alloy single mating end 1st contact grouping	
Contact Surface Treatment:	
Gold single mating end 1st contact grouping and silver single mating end 1st contact grouping	
Insert Material:	
Plastic diallyl phthalate glass filled single mating end	
Contact Surface Treatment Specification:	
Mil-g-45204, type ii, class 1 military specification 1st treatment response single mating end 1st contact grouping and qq-s-365 fee	leral

specification 2nd treatment response single mating end 1st contact grouping

# NSN 5935-00-866-3025

Electrical Receptacle Connector - Page 2 of 2



# Criticality Code Justification:

Feat

# **Terminal Type:**

Solder well single mating end 1st contact grouping

# **Contact Material Specification:**

Qq-c-530 federal specification single material response single mating end 1st contact grouping

# Shell Material:

Metal

# **Insert Material Specification:**

Mil-p-19833, type gdi-30 military specification single material response single mating end

# **Included Contact Quantity:**

30 single mating end 1st contact grouping

# Included Contact Type:

Round socket single mating end 1st contact grouping

#### **Special Features:**

Guide sockets in contact positions a and n

# Color:

Natural

# **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

# **Precious Material And Weight:**

0.030 gold grains, troy and 0.030 silver grains, troy

Precious Material:

Gold and silver

# **Thread Series Designator:**

Unc

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A039b0

#### Mil-std (military Standard):

Mil-g-45204 spec.