NSN 5935-00-868-8680

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-868-8680 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Angle shape, external coupling **Overall Length:** 1.107 inches **Bushing Diameter:** 0.320 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.531 inches **Overall Height:** 0.910 inches **Overall Width:** 0.750 inches **Environmental Protection:** Weatherproof **Unthreaded Mounting Hole Diameter:** 0.138 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.531 inches **Distance From Mounting Shoulder To Rear Face:** 0.283 inches Flange Length: 0.750 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Tnc single mating end **Contact Removability:** Removable single mating end single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

1500.0 single mating end single contact grouping

Shell Type:

Solid

Connector Locking Method:

Externally threaded shell

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

NSN 5935-00-868-8680

Electrical Receptacle Connector - Page 2 of 2



Thread Length:
0.333 inches
Thread Size:
0.437 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum
Shell Surface Treatment:
Silver and rhodium
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contact surface gold and shell surface rhodium and contact surface and shell surface silver
Precious Material And Weight:
0.005 gold grains, troy and 0.100 rhodium grains, troy and 0.105 silver grains, troy
Precious Material:
Gold and rhodium and silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0