## NSN 5935-00-869-8480

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-869-8480 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape threaded **Overall Length:** 2.125 inches **Overall Diameter:** 1.660 inches **Environmental Protection:** Thermal shock resistant and vibration resistant and corrosion resistant **Cable Entrance Diameter:** 0.690 inches **Distance From Mounting Shoulder To Front Face:** 0.781 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.125 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 31 number 20 single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell **Connector Cable Strain Relief Method:** Cable clamp Thready Qty Per Inch (tpi): 18 and 20 **Thread Size:** 1.375 inches and 1.250 inches **Insert Material:** Rubber single mating end **Shell Material:** 

Aluminum alloy

## NSN 5935-00-869-8480

Electrical Receptacle Connector Body - Page 2 of 2



Bushing Accommodation Hole Shape:
Round w/flat
Special Features:
Items furnished as accessories -body clamp
Thread Series Designator:
Unef and un
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0