NSN 5935-00-870-7827

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-870-7827 **Thread Class:** 2a **Thread Direction:** Right-hand **Overall Length:** 1.250 inches **Overall Height:** 0.438 inches **Overall Width:** 0.391 inches **Distance Between Mounting Facility Centers:** 1.032 inches **Threaded Device Type:** Mounting stud **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 5.0 single mating end all contact groupings **Polarization Method:** Jackscrew **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 56 **Thread Size:** 2.000 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Crimp single mating end all contact groupings **Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end

Included Contact Quantity:

34 single mating end all contact groupings

Included Contact Type:

Round pin single mating end all contact groupings

NSN 5935-00-870-7827

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location
Contact surface gold
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-m-14 spec.