

View Online at <https://aerobasegroup.com/nsn/5935-00-870-8047>

**Body Style:**

Straight shape, internal coupling

**Overall Length:**

Between 0.950 inches and 0.990 inches

**Overall Diameter:**

0.562 inches

**Environmental Protection:**

Heat resistant and moisture proof and vibration resistant

**Mating End Quantity:**

2

**Contact Position Arrangement Style:**

Bsm 2nd mating end

**Contact Removability:**

Nonremovable all mating ends all contact groupings

**Contact Maximum Current Rating In Amps:**

3.0 all mating ends all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:**

1200.0 all mating ends all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Bayonet latch and bayonet pin

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Insert Material:**

Plastic polytetrafluoroethylene all mating ends

**Contact Material Specification:**

Qq-b-626, comp 22, 1/2 h federal specification single material response all mating ends all contact groupings

**Shell Material:**

Copper alloy

**Shell Surface Treatment:**

Silver

**Shell Material Specification:**

Qq-b-626, comp 22, 1/2 h federal specification single material response

**Included Contact Type:**

Coaxial pin all mating ends all contact groupings

**Precious Material And Location:**

Shell surfaces silver

**Precious Material And Weight:**

0.010 silver grains, troy

**Precious Material:**

Silver

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0