

View Online at <https://aerobasegroup.com/nsn/5935-00-870-8047>

Body Style:

Straight shape, internal coupling

Overall Length:

Between 0.950 inches and 0.990 inches

Overall Diameter:

0.562 inches

Environmental Protection:

Heat resistant and moisture proof and vibration resistant

Mating End Quantity:

2

Contact Position Arrangement Style:

Bsm 2nd mating end

Contact Removability:

Nonremovable all mating ends all contact groupings

Contact Maximum Current Rating In Amps:

3.0 all mating ends all contact groupings

Contact Maximum Ac Voltage Rating In Volts:

1200.0 all mating ends all contact groupings

Shell Type:

Solid

Connector Locking Method:

Bayonet latch and bayonet pin

Contact Material:

Copper alloy all mating ends all contact groupings

Insert Material:

Plastic polytetrafluoroethylene all mating ends

Contact Material Specification:

Qq-b-626, comp 22, 1/2 h federal specification single material response all mating ends all contact groupings

Shell Material:

Copper alloy

Shell Surface Treatment:

Silver

Shell Material Specification:

Qq-b-626, comp 22, 1/2 h federal specification single material response

Included Contact Type:

Coaxial pin all mating ends all contact groupings

Precious Material And Location:

Shell surfaces silver

Precious Material And Weight:

0.010 silver grains, troy

Precious Material:

Silver

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0