NSN 5935-00-872-7748

Electrical Receptacle Connector Body - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5935-00-872-7748 |
|---|
| Thread Class: |
| 2b |
| Thread Direction: |
| Right-hand |
| Body Style: |
| Straight shape, rectangular |
| Overall Length: |
| 1.040 inches |
| Overall Height: |
| 1.260 inches |
| Overall Width: |
| 2.950 inches |
| Environmental Protection: |
| Corrosion resistant |
| Unthreaded Mounting Hole Diameter: |
| Between 0.146 inches and 0.152 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Height: |
| 0.812 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 2.500 inches |
| Threaded Device Type: |
| Coupling facility |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| L5 single mating end |
| Polarization Method: |
| Jackscrew and polarization boss |
| Connector Locking Method: |
| Threaded hole |
| Thready Qty Per Inch (tpi): |
| 28 |
| Thread Size: |
| 0.250 inches |
| Insert Material: |
| Plastic polytetrafluoroethylene single mating end |
| Insert Material Specification: |
| Mil-p-19468 military specification single material response single mating end |
| Thread Series Designator: |
| Unf |
| Shelf Life: |

N/a

NSN 5935-00-872-7748

Electrical Receptacle Connector Body - Page 2 of 2



| Demilitarization: | |
|-------------------|--|
| No | |
| Fiig: | |
| A039b0 | |

Mil-std (military Standard):

Mil-p-19468 spec.

Unit Of Measure: