Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-883-3146

Thread Class:
2a
Za Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.750 inches
Overall Diameter:
0.938 inches
Cable Entrance Diameter:
0.254 inches
Distance From Mounting Shoulder To Front Face:
0.974 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1 Constant Depittion Among and Otales
Contact Position Arrangement Style:
Bnc single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Bayonet latch
Connector Cable Strain Relief Method:
Radio Frequency Type Contact Characteristic Impedance In Ohms:
93.0 single mating end single contact grouping
Thready Qty Per Inch (tpi):
28
Thread Size:
0.500 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Plastic single mating end



Terminal Type: Crimp single mating end single contact grouping Shell Material: Copper alloy **Shell Surface Treatment:** Anodize Included Contact Quantity: 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round **Included Contact Type:** Coaxial socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.005 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Unef Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0