NSN 5935-00-892-9629



Electrical Receptacle Connector - Page 1 of 2	AUIUD
View Online at https://aerobasegroup.com/nsn/5935-00-892-9629	
Body Style:	
Wall type	
Overall Height:	
Between 1.063 inches and 1.313 inches	
Overall Width:	
1.688 inches	
Unable To Decode:	
Unable to decode and unable to decode	
Unable To Decode:	
Unable to decode and unable to decode	
Distance Between Mounting Facility Centers:	
3.281 inches	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
4 single mating end	
Contact Removability:	
Nonremovable single mating end all contact groupings	
Contact Maximum Current Rating In Amps:	
20.0 single mating end 2nd contact grouping	
Contact Maximum Ac Voltage Rating In Volts:	
250.0 single mating end all contact groupings	
Contact Maximum Dc Voltage Rating In Volts:	
250.0 single mating end all contact groupings	
Polarization Method:	
Contact	
Shell Type:	
Potting	
Connector Locking Method:	

Shell twistlock

Terminal Location:

Side single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Nickel single mating end all contact groupings

Insert Material:

Plastic melamine single mating end

Terminal Type:

Screw single mating end all contact groupings

Contact Material Specification:

Qq-b-626, comp 22 federal specification single material response single mating end all contact groupings

NSN 5935-00-892-9629

Mil-m-14 spec.

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Plastic
Insert Material Specification:
Mil-m-14, type @cmi-10 military specification single material response single mating end
Included Contact Quantity:
3 single mating end 2nd contact grouping
Included Contact Type:
Curved socket single mating end 2nd contact grouping
Test Data Document:
81349-mil-c-3767 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-3767/9 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):