NSN 5935-00-894-9478

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-894-9478

| Thread Class: |
|---|
| 2a and 2b and 2a |
| Thread Direction: |
| Right-hand and right-hand |
| Body Style: |
| Straight shape |
| Overall Length: |
| 1.562 inches |
| Overall Height: |
| 0.938 inches |
| Overall Width: |
| 0.438 inches |
| Distance Between Mounting Facility Centers: |
| 1.250 inches |
| Threaded Device Type: |
| Coupling facility and mounting stud |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 20 20-20 single mating end |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Contact Maximum Current Rating In Amps: |
| 7.5 single mating end single contact grouping |
| Polarization Method: |
| Jackscrew |
| Connector Locking Method: |
| Jackscrew-socket |
| Thread Size: |
| 0.112 inches and 0.112 inches and 0.112 inches |
| Terminal Location: |
| Back single mating end single contact grouping |
| Contact Material: |
| Copper alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and silver single mating end single contact grouping |
| Insert Material: |
| Plastic melamine single mating end |
| Terminal Type: |
| Solder well single mating end single contact grouping |
| Included Contact Quantity: |

20 single mating end single contact grouping

NSN 5935-00-894-9478

Electrical Receptacle Connector - Page 2 of 2



| ın | ادام | ided | 0 | nto | ~+ | т., | - |
|----|------|------|---|-----|----|-----|-----|
| m | CIU | ıaea | | mta | Ct | ıν | De: |

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.020 gold grains, troy and 0.020 silver grains, troy

Precious Material:

Gold and silver

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0