Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-899-5186

## **Body Style:**

Straight shape, flange mount, external coupling

### **Overall Length:**

1.750 inches

# **Overall Height:**

Between 1.546 inches and 1.578 inches

## **Overall Width:**

Between 1.546 inches and 1.578 inches

#### **Environmental Protection:**

Moisture proof

#### **Unthreaded Mounting Hole Diameter:**

Between 0.115 inches and 0.125 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

1.250 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

#### Distance From Mounting Shoulder To Front Face:

Between 0.556 inches and 0.566 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

22-55 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

#### Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

#### Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

#### Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

## **Insert Position In Deg:**

142.0

## Shell Type:

Potting

#### Connector Locking Method:

Bayonet pin

### **Connector Cable Strain Relief Method:**

Potting type

#### **Contact Material:**

Copper alloy single mating end single contact grouping



### **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

#### **Insert Material:**

Rubber single mating end

## **Terminal Type:**

Crimp single mating end single contact grouping

#### Shell Material:

Aluminum alloy

#### Shell Surface Treatment:

Cadmium and chromate

#### **Included Contact Quantity:**

55 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

### **Precious Material And Weight:**

0.055 gold grains, troy and 0.055 silver grains, troy

## **Precious Material:**

Gold and silver

Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

#### Fiig:

A039b0