## NSN 5935-00-901-3828

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-901-3828

**Overall Height:** 

Between 0.090 inches and 1.010 inches

**Overall Width:** 

Between 1.990 inches and 2.010 inches

**Environmental Protection:** 

Moisture resistant

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 0.495 inches and 0.505 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.775 inches and 1.785 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.458 inches and 0.478 inches

**Mating End Quantity:** 

4

**Contact Position Arrangement Style:** 

29c1 single mating end

**Contact Removability:** 

Nonremovable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:** 

7.5 single mating end 1st contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings and silver single mating end all contact groupings

**Insert Material:** 

Plastic melamine single mating end

**Terminal Type:** 

Solder well single mating end all contact groupings

**Shell Material:** 

Aluminum alloy

**Shell Surface Treatment:** 

Chromate

**Included Contact Quantity:** 

28 single mating end 1st contact grouping

**Included Contact Type:** 

Round socket single mating end 1st contact grouping

## NSN 5935-00-901-3828

Electrical Receptacle Connector - Page 2 of 2



Precious	Material	<b>And</b>	Location:

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:** 

0.029 gold grains, troy and 0.029 silver grains, troy

**Precious Material:** 

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0