NSN 5935-00-901-6998

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-901-6998

Body Style:
Straight shape
Overall Length:
3.125 inches
Overall Height:
0.672 inches
Overall Width:
0.500 inches
Unthreaded Mounting Hole Diameter:
0.152 inches
Distance Between Mounting Facility Centers:
2.750 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
13.0 single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Solder well single mating end single contact grouping
Insert Material Specification:
Mil-p-19833, type gdi-30 military specification single material response single mating end
Included Contact Quantity:
19 single mating end single contact grouping

Precious Material And Location:

Included Contact Type:

Contact surfaces gold and contact surfaces silver

Round socket single mating end single contact grouping

NSN 5935-00-901-6998

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:	
0.019 gold grains, troy and 0.019 silver grains, troy	
Precious Material:	
Gold and silver	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
No	
Fiig:	
ΔΛ3Qh0	

Mil-std (military Standard):

Mil-p-19833 spec.