## NSN 5935-00-902-7567

**Body Style:** 

**Overall Length:** 

Angle shape, external coupling

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-902-7567

1.810 inches
Overall Height:
0.617 inches
Overall Diameter:
0.375 inches
Environmental Protection:
Hermetic
Distance From Mounting Shoulder To Front Face:
0.700 inches
Mounting Facility Thickness:
0.172 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
90.0 and 180.0 and 270.0
Shell Type:
Solid
Connector Locking Method:
Bayonet pin
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end and glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response single mating end single contact grouping
Terminal Type:
Wire loop single mating end single contact grouping
Contact Material Specification:

Qq-c-530, cond h federal specification single material response single mating end single contact grouping

## NSN 5935-00-902-7567

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Steel
Shell Surface Treatment:
Gold and nickel
Shell Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response
Shell Material Specification:
Qq-s-637 federal specification single material response
Insert Material Specification:
Ams 3651 assn standard 1st material response single mating end
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round
Included Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Contact and body surfaces gold
Precious Material And Weight:
0.105 gold grains, troy
Precious Material:
Gold
Specification Data:
94580-968494 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.