NSN 5935-00-902-8110

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-902-8110

Thread Class: 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Rectangular shape Center To Center Distance Between Mounting Facilities Parallel To Length: 1.688 inches **Overall Height:** 0.656 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.469 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity:** 15 **Contact Position Arrangement Style:** 34 single mating end **Polarization Method:** Jackscrew and shell Shell Type: Solid **Connector Locking Method:** Jackscrew-socket and friction Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.112 inches **Insert Material:** Plastic phenolic single mating end and glass single mating end **Shell Material:** Aluminum alloy and cadmium **Shell Surface Treatment:** Anodize or cadmium **Insert Material Specification:** Mil-m-14, type mdg military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end **Special Features:** Shell polorized at position a **Thread Series Designator:** Unc and unc and unc

N/a

Shelf Life:

NSN 5935-00-902-8110

Electrical Receptacle Connector Body - Page 2 of 2



| Unit | Of | Measure: |
|------|----|----------|
| | | |

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.