Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-902-8504

Body Style:
Straight shape
Overall Length:
1.912 inches
Overall Height:
Between 3.094 inches and 3.124 inches
Overall Width:
Between 1.985 inches and 2.015 inches
Environmental Protection:
Corrosion resistant and dripproof
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.783 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.437 inches
Distance From Mounting Shoulder To Front Face:
0.344 inches
Mating End Quantity:
2
Contact Position Arrangement Style:
45 2nd mating end
Contact Removability:
Nonremovable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
5.0 single mating end all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end all contact groupings
Polarization Method:
2 polarization posts
Shell Type:
Solid
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings and silver single mating end all contact groupings
Insert Material:
Plastic diallyl phthalate single mating end and plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy 380.0

## NSN 5935-00-902-8504

Electrical Receptacle Connector - Page 2 of 2



**Shell Surface Treatment:** Cadmium **Shell Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification single treatment response **Shell Material Specification:** Qq-a-591, alloy a380 federal specification single material response **Insert Material Specification:** Mil-m-14, type mdg military specification 1st material response single mating end and mil-m-14, type mme military specification 2nd material response single mating end **Included Contact Type:** Round pin single mating end all contact groupings **Precious Material And Location:** Contact surface gold and contact surface silver **Precious Material And Weight:** 0.067 gold grains, troy and 0.067 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-m-14 spec.