## NSN 5935-00-903-5065

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-903-5065

**Body Style:** 

Straight shape

**Overall Length:** 

Between 1.673 inches and 1.693 inches

**Overall Height:** 

0.904 inches

Overall Width:

Between 0.604 inches and 0.624 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.208 inches and 0.228 inches

**Mating End Quantity:** 

4

**Contact Position Arrangement Style:** 

25 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Connector Cable Strain Relief Method:** 

Potting type

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and silver single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

Shell Material:

Aluminum alloy

**Insert Material Specification:** 

Mil-m-14, type sdg military specification single material response single mating end

**Included Contact Quantity:** 

25 single mating end single contact grouping

**Included Contact Type:** 

Round socket single mating end single contact grouping

**Special Features:** 

Nylon dust cap included

## NSN 5935-00-903-5065

Electrical Receptacle Connector - Page 2 of 2



## **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:** 

0.025 gold grains, troy and 0.025 silver grains, troy

**Precious Material:** 

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.