

View Online at <https://aerobasegroup.com/nsn/5935-00-905-8717>

**Body Material:**

Plastic

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Top mount w/studs

**Fabrication Method:**

Molded

**Overall Length:**

1.344 inches

**Tempurature Rating:**

-65.0 degrees celsius and 125.0 degrees celsius

**Overall Height:**

0.562 inches

**Overall Width:**

0.780 inches

**Mounting Hole Diameter:**

0.112 inches

**Body Mounting Hole Accommodation Length:**

0.790 inches

**Body Mounting Hole Accommodation Width:**

0.780 inches

**Mounting Hole Style:**

Rectangular, w/four mounting holes/slots

**Specific Equipment Accommodated:**

Relay

**Contact Maximum Current Rating In Amps:**

3.0

**Contact Material:**

Phosphor bronze

**Contact Surface Treatment:**

Gold and silver

**Accommodated Contact Quantity:**

16

**Center To Center Distance Between Outside Mounting Holes Along Length:**

1.078 inches

**Center To Center Distance Between Outside Mounting Holes Along Width:**

0.400 inches

**Polarization Type:**

Colored dot

**Projection Length Below Mounting Surface:**

0.250 inches

**Mounting Method:**

Threaded stud

**Mounting Type For Which Designed:**

Chassis

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Contact Position Arrangement Style:**

Quadruple in line

**Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:**

0.016 gold grains, troy and 0.016 silver grains, troy

**Precious Material:**

Gold and silver

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

16 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02300