NSN 5935-00-905-9676

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-905-9676 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape **Overall Length:** Between 3.856 inches and 3.866 inches Center To Center Distance Between Mounting Facilities Parallel To Length: Between 3.422 inches and 3.432 inches **Overall Height:** 1.596 inches **Overall Width:** Between 1.240 inches and 1.250 inches **Environmental Protection:** Vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.174 inches and 0.179 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 0.622 inches and 0.628 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 91 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Thread Length:** 0.250 inches **Thread Size:** 0.164 inches **Terminal Location:** Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

NSN 5935-00-905-9676

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment:

Rhodium single mating end single contact grouping and silver single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate single mating end

Contact Surface Treatment Specification:

Mpd-592b federal specification single treatment response single mating end single contact grouping and qq-s-365 federal specification single treatment response single mating end single contact grouping

Terminal Type:

Solder well single mating end single contact grouping

Contact Material Specification:

Sae72, ca-360 federal specification single material response single mating end single contact grouping

Shell Material:

Aluminum alloy 380.0

Shell Surface Treatment:

Chromate

Shell Surface Treatment Specification:

Qq-p-416b, class 2, type 2 federal specification single treatment response

Shell Material Specification:

Qq-a-591a, comp 2 federal specification single material response

Insert Material Specification:

Mil-m-14, type mdg military specification single material response single mating end

Included Contact Quantity:

91 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Special Features:

Spring loaded to eliminate mating difficulties

Precious Material And Location:

Contact surfaces rhodium and contact surfaces silver

Precious Material And Weight:

0.091 rhodium grains, troy and 0.091 silver grains, troy

Precious Material:

Rhodium and silver

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.