NSN 5935-00-908-6650

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-908-6650

Body Style:

Straight shape, rectangular

Overall Length:

Between 2.155 inches and 2.195 inches

Overall Height:

0.704 inches

Overall Width:

0.610 inches

Unthreaded Mounting Hole Diameter:

Between 0.103 inches and 0.108 inches

Distance Between Mounting Facility Centers:

Between 1.837 inches and 1.847 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

24 single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

5.0 single mating end single contact grouping

Shell Type:

Solid

Connector Locking Method:

Friction

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping and copper single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate single mating end

Terminal Type:

Tab, solder lug single mating end single contact grouping

Shell Material:

Steel

Shell Surface Treatment:

Chromate and zinc

Insert Material Specification:

Mil-m-14, type mdg military specification single material response single mating end

Included Contact Quantity:

24 single mating end single contact grouping

NSN 5935-00-908-6650

Electrical Receptacle Connector - Page 2 of 2



Inc	lude	l Contact	Type:
-----	------	-----------	-------

Leaf spring single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.024 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.