Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-910-5070

Body Style:
Straight shape
Overall Length:
2.500 inches
Overall Height:
1.828 inches
Overall Width:
1.593 inches
Unthreaded Mounting Hole Diameter:
0.203 inches
Distance Between Mounting Facility Centers:
2.062 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
3 single mating end
Contact Removability:
Nonremovable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
20.0 single mating end all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
250.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
250.0 single mating end all contact groupings
Polarization Method:
Contact
Shell Type:
Solid
Connector Locking Method:
Contact twistlock
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Insert Material:
Plastic phenolic single mating end
Terminal Type:
Screw single mating end all contact groupings
Shell Material:
Copper alloy
Shell Surface Treatment:
Nickel

Electrical Receptacle Connector - Page 2 of 2



Insert Material Specification:

Mil-m-14 military specification single material response single mating end

Included Contact Quantity:

2 single mating end 2nd contact grouping

Bushing Accommodation Hole Shape:

Round

Included Contact Type:

Curved socket w/outside lip single mating end 2nd contact grouping

Shelf Life:

N/a

Unit Of Measure:

Demilitarization: No Fiig: A039b0 Mil-std (military Standard):

Mil-m-14 spec.