NSN 5935-00-913-7953

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-913-7953

Body Style:
Hood, top opening w/clamp
Overall Length:
3.719 inches
Overall Height:
2.362 inches
Overall Width:
1.250 inches
Cable Entrance Diameter:
0.625 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
750.0 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
0.0 Shell Type:
Shell Type:
Shell Type: Hood, top opening
Shell Type: Hood, top opening Connector Locking Method:
Shell Type: Hood, top opening Connector Locking Method: Lever
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method:
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location:
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material:
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping Contact Surface Treatment:
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material:
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type:
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end
Shell Type: Hood, top opening Connector Locking Method: Lever Connector Cable Strain Relief Method: Cable clamp Terminal Location: Back single mating end single contact grouping Contact Material: Copper single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Tab, solder lug single mating end single contact grouping

Nickel

NSN 5935-00-913-7953

Electrical Plug Connector - Page 2 of 2



Included Contact Quantity:

32 single mating end single contact grouping

Included Contact Type:

Leaf spring single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.032 gold grains, troy and 0.032 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0