

View Online at <https://aerobasegroup.com/nsn/5935-00-914-0189>

Body Material:

Plastic

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Top mount w/studs

Fabrication Method:

Molded

Overall Length:

Between 1.320 inches and 1.360 inches

Tempurature Rating:

100.0 degrees celsius

Overall Height:

Between 0.540 inches and 0.580 inches

Overall Width:

Between 0.380 inches and 0.420 inches

Mounting Hole Diameter:

0.125 inches

Body Mounting Hole Accommodation Length:

Between 0.730 inches and 0.770 inches

Body Mounting Hole Accommodation Width:

Between 0.380 inches and 0.420 inches

Distance Between Mounting Facility Centers:

Between 1.052 inches and 1.072 inches

Mounting Hole Style:

Rectangular, w/two mounting holes/slots

Specific Equipment Accommodated:

Relay

Contact Maximum Current Rating In Amps:

5.0

Contact Material:

Copper alloy

Contact Surface Treatment:

Silver

Accommodated Contact Quantity:

8

Polarization Type:

Contact position

Projection Length Below Mounting Surface:

Between 0.230 inches and 0.270 inches

Mounting Method:

Threaded stud

Mounting Type For Which Designed:

Chassis

Thready Qty Per Inch (tpi):

40

Thread Size:

0.112 inches

Contact Position Arrangement Style:

Dual in line

Precious Material And Location:

Contact surfaces silver

Precious Material And Weight:

0.008 silver grains, troy

Precious Material:

Silver

Thread Series Designator:

Unc

Terminal Type And Quantity:

8 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A02300