

View Online at <https://aerobasegroup.com/nsn/5935-00-916-0637>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape

**Overall Height:**

Between 1.110 inches and 1.140 inches

**Overall Width:**

Between 2.302 inches and 2.322 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

Between 0.746 inches and 0.754 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 2.057 inches and 2.067 inches

**Distance From Mounting Shoulder To Front Face:**

Between 0.334 inches and 0.354 inches

**Threaded Device Type:**

Mounting stud

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

67 single mating end

**Contact Removability:**

Removable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:**

7.5 single mating end 1st contact grouping

**Polarization Method:**

Mating end

**Shell Type:**

Solid

**Thread Size:**

0.112 inches

**Terminal Location:**

Back single mating end all contact groupings

**Contact Material:**

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:**

Gold single mating end all contact groupings and silver single mating end all contact groupings

**Insert Material:**

Plastic diallyl phthalate single mating end

**Terminal Type:**

Crimp single mating end all contact groupings

**Shell Material:**

Aluminum alloy

**Shell Surface Treatment:**

Aluminum

**Included Contact Quantity:**

64 single mating end 1st contact grouping

**Included Contact Type:**

Round socket single mating end all contact groupings

**Precious Material And Location:**

Contact surfaces gold and shell surface silver

**Precious Material And Weight:**

0.167 gold grains, troy and 0.167 silver grains, troy

**Precious Material:**

Gold and silver

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0