## NSN 5935-00-916-3653

Thread Class: 2a and 2a

Copper alloy

**Thread Direction:** 

Right-hand and right-hand

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-916-3653

3
Body Style:
Straight shape, external coupling
Overall Length:
1.063 inches
Overall Diameter:
0.500 inches
Distance From Mounting Shoulder To Front Face:
0.469 inches
Mounting Facility Thickness:
0.156 inches
Threaded Device Type:
Coupling facility and mounting bushing
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
28 and 32
Thread Size:
0.438 inches and 0.375 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:

NSN 5935-00-916-3653 Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Gold
ncluded Contact Quantity:
single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round w/flat
ncluded Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Contact and body surfaces gold
Precious Material And Weight:
0.105 gold grains, troy
Precious Material:
Gold
Гhread Series Designator:
Jnef and unef
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A039b0