## NSN 5935-00-919-1102

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-919-1102

**Body Style:** Straight shape, external coupling **Overall Length:** Between 0.708 inches and 0.728 inches **Overall Height:** 0.937 inches **Overall Width:** 0.937 inches **Unthreaded Mounting Hole Diameter:** Between 0.116 inches and 0.125 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.718 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.718 inches **Distance From Mounting Shoulder To Front Face:** 0.656 inches **Mating End Quantity: Contact Position Arrangement Style:** 14-5 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1500.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Rhodium single mating end single contact grouping and nickel single mating end single contact grouping **Terminal Type:** Tab, solder lug single mating end single contact grouping **Shell Material:** 

Steel comp 303

## NSN 5935-00-919-1102

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Passivate
Included Contact Quantity:
5 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces rhodium
Precious Material And Weight:
0.025 rhodium grains, troy
Precious Material:
Rhodium
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0