Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-919-7069

Thread Class:
2b
Thread Direction:
Right-hand
Overall Length:
Between 1.001 inches and 1.011 inches
Overall Height:
Between 2.094 inches and 2.124 inches
Overall Width:
Between 1.719 inches and 1.749 inches
Environmental Protection:
Moisture resistant and salt water resistant and vibration resistant
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 1.248 inches and 1.252 inches
Distance Between Mounting Facility Centers:
Between 1.923 inches and 1.927 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
63 single mating end
Contact Removability:
Removable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
5.0 single mating end 2nd contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Thread Size:
0.112 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Rhodium single mating end all contact groupings and nickel single mating end all contact groupings
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Crimp single mating end all contact groupings



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, class 2 federal specification single treatment response
Insert Material Specification:
Mil-m-19833, type gdi-30 military specification single material response single mating end
Included Contact Quantity:
59 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Precious Material And Location:
Contact surface rhodium
Precious Material:
Rhodium
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-m-19833 spec.