NSN 5935-00-923-5162

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-923-5162

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
0.891 inches
Overall Diameter:
0.438 inches
Environmental Protection:
Heat resistant and cold resistant
Distance From Mounting Shoulder To Front Face:
0.453 inches
Mounting Facility Thickness:
0.125 inches
Threaded Device Type:
Mounting bushing
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Cable Strain Relief Method:
Compression nut
Thready Qty Per Inch (tpi):
32
Thread Size:
0.250 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Contact Surface Treatment Specification:
Mil-f-14072 finish -351 military specification single treatment response single mating end single contact grouping

NSN 5935-00-923-5162

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-b-626 comp 22, 1/2 hard federal specification single material response single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Shell Surface Treatment Specification:
Mil-f-14072 finish -351 military specification single treatment response
Shell Material Specification:
Qq-b-626 comp 22, 1/2 hard federal specification single material response
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round w/double flat
Included Contact Type:
Coaxial socket single mating end single contact grouping
Special Features:
Furnished items - gasket
Precious Material And Location:
Shell and contact surfaces silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-f-14072 spec.