# NSN 5935-00-925-1787

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-925-1787

Body Style:
Straight shape
Overall Length:
2.088 inches
Overall Height:
0.648 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
1.852 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
21 single mating end
Contact Removability:
Nonremovable single mating end 1st contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end 1st contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end 1st contact grouping
Contact Material:
Copper alloy single mating end 1st contact grouping
Contact Surface Treatment:
Gold single mating end 1st contact grouping and silver single mating end 1st contact grouping
Insert Material:
Plastic diallyl phthalate single mating end and glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response single mating end 1st contact grouping and qq-s-365 federal specification 2nd
treatment response single mating end 1st contact grouping
Terminal Type:
Solder well single mating end 1st contact grouping
Shell Material:
Steel

Cadmium and chromate

**Shell Surface Treatment:** 

# NSN 5935-00-925-1787

Electrical Receptacle Connector - Page 2 of 2



#### **Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification all treatment responses

## **Shell Material Specification:**

Astm a-620 assn standard single material response

### **Insert Material Specification:**

Mil-p-19833, type gdi-30 military specification all material responses single mating end

### **Included Contact Quantity:**

20 single mating end 1st contact grouping

### **Included Contact Type:**

Round socket single mating end 1st contact grouping

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

#### **Precious Material And Weight:**

0.020 gold grains, troy and 0.020 silver grains, troy

#### **Precious Material:**

Gold and silver

## Shelf Life:

N/a

#### **Unit Of Measure:**

#### Demilitarization:

No

# Fiig:

A039b0

### Mil-std (military Standard):

Mil-g-45204 spec.