NSN 5935-00-925-6137

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-925-6137

View Online at https://aerobasegroup.com/nsn/5935-00-925-6137
Body Style:
Straight shape
Overall Length:
1.060 inches
Overall Diameter:
0.250 inches
Environmental Protection:
Corrosion resistant and vibration resistant and moisture resistant and thermal shock resistant
Cable Entrance Diameter:
0.110 inches
Mating End Quantity:
1
Contact Removability:
Removable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Spring friction
Connector Cable Strain Relief Method:
Compression nut and crimp type
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 single mating end single contact grouping
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 1, cl 2, gr c military specification 1st treatment response single mating end single contact grouping and mil-c-14550, cl 4
military specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Shell Material:

Shell Surface Treatment:

Gold and copper

Copper alloy

Shell Surface Treatment Specification:

Mil-g-45204, type 1, cl 2, gr c military specification 1st treatment response and mil-c-14550, cl 4 military specification 2nd treatment response

NSN 5935-00-925-6137

Electrical Plug Connector - Page 2 of 2



Insert Material Specification:

Mil-p-19468 military specification single material response single mating end

Included Contact Quantity:

1 single mating end single contact grouping

Included Contact Type:

Coaxial socket single mating end single contact grouping

Precious Material And Location:

Contact and shell surfaces gold

Precious Material And Weight:

0.105 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.