Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-925-9171

## **Body Style:**

Straight edge type w/mounting flange

**Overall Length:** 

3.660 inches

## **Overall Height:**

0.720 inches

## **Overall Width:**

0.328 inches

#### **Unthreaded Mounting Hole Diameter:**

0.128 inches

## **Distance Between Mounting Facility Centers:**

#### Between 3.414 inches and 3.428 inches

## **Board Accommodated Length:**

2.961 inches single board and 2.975 inches single board

#### **Board Accommodated Width:**

Between 0.054 inches and 0.071 inches

## Mating End Quantity:

1

## Contact Position Arrangement Style:

2 rows of independent contacts inserted board single mating end

#### Contact Removability:

Nonremovable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

5.0 single mating end single contact grouping

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

## Contact Surface Treatment:

Gold single mating end single contact grouping

#### **Insert Material:**

Plastic diallyl phthalate single mating end

## **Terminal Type:**

Tab, solder lug single mating end single contact grouping

## **Insert Material Specification:**

Mil-m-19833, type gdi-30 military specification single material response single mating end

## **Included Contact Quantity:**

36 single mating end single contact grouping

#### Included Contact Type:

Leaf spring single mating end single contact grouping

## **Precious Material And Location:**

Contact surfaces gold



**Precious Material And Weight:** 

0.036 gold grains, troy

## **Precious Material:**

Gold

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-19833 spec.