NSN 5935-00-926-2952

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-926-2952 **Body Material:** Plastic **Body Style:** Top or bottom mount w/molded saddle and bushing **Fabrication Method:** Molded **Overall Length:** 2.218 inches **Tempurature Rating:** -65.0 degrees celsius and 120.0 degrees celsius **Overall Height:** 0.585 inches **Overall Width:** 1.343 inches **Mounting Hole Diameter:** Between 0.213 inches and 0.223 inches **Body Mounting Hole Accommodation Diameter:** Between 2.213 inches and 2.223 inches **Mounting Hole Style:** Round, w/three mounting holes/slots **Specific Equipment Accommodated:** Relay **Contact Maximum Current Rating In Amps:** 5.0 **Contact Material:** Copper alloy **Contact Surface Treatment:** Gold **Accommodated Contact Quantity:** 20 Center To Center Distance Between Outside Mounting Holes Along Length: Between 0.745 inches and 0.755 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** Between 1.834 inches and 1.854 inches **Polarization Type:** Off center hole **Projection Length Above Mounting Surface:** Between 0.083 inches and 0.103 inches **Mounting Method:** Saddle

__

Mounting Type For Which Designed:

Chassis

NSN 5935-00-926-2952

Plug-in Electronic Components Socket - Page 2 of 2



Contact Position Arrangement Style:
Symmetrical
Contact Maximum Voltage In Volts And Current Type:
2500.0 ac and 2500.0 dc
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.020 gold grains, troy
Precious Material:
Gold
Terminal Type And Quantity:
20 solder well
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fila:

A02300