## NSN 5935-00-928-6109

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-928-6109 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** Between 0.875 inches and 0.905 inches **Overall Height:** Between 1.423 inches and 1.453 inches **Overall Width:** Between 1.423 inches and 1.453 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.093 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.093 inches **Distance From Mounting Shoulder To Front Face:** Between 0.548 inches and 0.608 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 40-2012-32 single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: **Connector Locking Method:** Externally threaded shell **Thread Length:** 0.320 inches Thready Qty Per Inch (tpi): 6 **Thread Size:** 1.312 inches

**Insert Material:** 

Plastic diallyl phthalate single mating end

## NSN 5935-00-928-6109

Electrical Receptacle Connector Body - Page 2 of 2



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Shell Material Specification:
Qq-a-591 federal specification single material response
Insert Material Specification:
Mil-m-14, type mdg military specification single material response single mating end
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-m-14 spec.