Electrical Plug Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-00-929-5200

# Thread Class:

2a and 2b

## Thread Direction:

Right-hand and right-hand

## Body Style:

Straight shape, internal coupling

## Overall Length:

2.125 inches

#### **Overall Diameter:**

1.969 inches

#### **Environmental Protection:**

Moisture proof and vibration resistant

#### **Threaded Device Type:**

Back shell and coupling facility

## Mating End Quantity:

1

## Contact Position Arrangement Style:

28-12 single mating end

## **Contact Removability:**

Removable single mating end single contact grouping

## **Contact Maximum Current Rating In Amps:**

22.0 single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

## **Polarization Method:**

Keyway or multiple keyway

## Insert Position In Deg:

0.0

## Shell Type:

Solid

## Connector Locking Method:

Internally threaded coupling ring

## Thread Length:

0.467 inches and 0.664 inches

## Thready Qty Per Inch (tpi):

18 and 18

## Thread Size:

1.750 inches and 1.750 inches

## **Terminal Location:**

Back single mating end single contact grouping

# NSN 5935-00-929-5200

Electrical Plug Connector - Page 2 of 2



#### **Insert Material:**

Plastic silicone mineral filled single mating end

## **Terminal Type:**

Crimp single mating end single contact grouping

## Shell Material:

Aluminum alloy

## Shell Surface Treatment:

Nickel

## **Included Contact Quantity:**

26 single mating end single contact grouping

## Included Contact Type:

Round socket single mating end single contact grouping

## **Test Data Document:**

81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Thread Series Designator:**

Uns and uns

#### **Specification Data:**

81349-mil-c-5015 government specification

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A039b0