

View Online at <https://aerobasegroup.com/nsn/5935-00-930-6146>

Body Style:

Straight shape w/flange

Overall Height:

1.438 inches

Overall Width:

1.438 inches

Environmental Protection:

Corrosion resistant and moisture resistant and vibration resistant and shock resistant

Unthreaded Mounting Hole Diameter:

0.094 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.188 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.188 inches

Distance From Mounting Shoulder To Front Face:

0.500 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

37-2p all mating ends

Contact Removability:

Nonremovable all mating ends single contact grouping

Polarization Method:

Keyway or multiple keyway and keyway or multiple keyway

Insert Position In Deg:

0.0 and 0.0

Shell Type:

Solid

Connector Locking Method:

Spring friction

Contact Material:

Copper alloy all mating ends single contact grouping

Contact Surface Treatment:

Gold all mating ends single contact grouping

Insert Material:

Rubber all mating ends

Contact Surface Treatment Specification:

Mil-g-45204 military specification single treatment response all mating ends single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Silver

Shell Surface Treatment Specification:

Qq-s-365 federal specification single treatment response

Included Contact Quantity:

24 2nd mating end single contact grouping

Included Contact Type:

Round socket 2nd mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and shell surface silver

Precious Material And Weight:

0.048 gold grains, troy and 0.100 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.