# NSN 5935-00-930-6147

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-930-6147

# Body Style:

Straight shape, internal coupling

#### **Overall Length:**

0.880 inches

### **Overall Diameter:**

0.400 inches

### **Environmental Protection:**

Thermal shock resistant and heat resistant and corrosion resistant

#### Cable Entrance Diameter:

Between 0.136 inches and 0.150 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

Nonstd single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

## Insert Position In Deg:

180.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Bayonet pin

## Connector Cable Strain Relief Method:

Compression nut

## Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

## Contact Surface Treatment:

Gold single mating end single contact grouping

### **Terminal Type:**

Solder well single mating end single contact grouping

## Shell Material:

Metal

## Included Contact Quantity:

1 single mating end single contact grouping

## Included Contact Type:

Coaxial pin single mating end single contact grouping

Electrical Plug Connector - Page 2 of 2



Precious Material And Location: Contact surface gold Precious Material And Weight: 0.005 gold grains, troy Precious Material: Gold Shelf Life: N/a Unit Of Measure: --Demilitarization: No

A039b0