## NSN 5935-00-931-6106

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-931-6106 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, latching **Overall Length:** 0.750 inches **Overall Width:** 0.468 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 9000.0 single mating end single contact grouping **Polarization Method:** Mating end **Connector Locking Method:** Latching ring Thread Length: 0.250 inches Thread Size: 0.375 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic melamine single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

**Included Contact Quantity:** 

1 single mating end single contact grouping

## NSN 5935-00-931-6106

Electrical Receptacle Connector - Page 2 of 2



## **Bushing Accommodation Hole Shape:** Round keyed **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.001 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:** Demilitarization: No Fiig:

A039b0