# NSN 5935-00-931-9988

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-931-9988 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight edge type w/mounting flange **Overall Length:** 1.844 inches **Overall Height:** 0.716 inches **Overall Width:** 0.343 inches **Unthreaded Mounting Hole Diameter:** 0.128 inches **Distance Between Mounting Facility Centers:** 1.532 inches **Board Accommodated Length:** 1.100 inches single board **Threaded Device Type:** Mounting hole **Board Accommodated Width:** Between 0.054 inches and 0.071 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 600.0 single mating end single contact grouping Thread Length: 0.250 inches **Thread Size:** 

0.112 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and copper single mating end single contact grouping

# NSN 5935-00-931-9988

Electrical Receptacle Connector - Page 2 of 2



I	r	1	2	ρ	r	ŧ	١	V	la	t	ρ	r	i	а	ı	•
ı			•	c		L		V.	u	·	c		ı	u	•	

Plastic diallyl phthalate single mating end

# **Contact Surface Treatment Specification:**

Mil-c-21097 military specification single treatment response single mating end single contact grouping

# **Terminal Type:**

Tab, solder lug single mating end single contact grouping

### **Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end

### **Included Contact Quantity:**

44 single mating end single contact grouping

#### **Included Contact Type:**

Bifurcated spring single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.044 gold grains, troy

#### **Precious Material:**

Gold

### **Thread Series Designator:**

Unc

#### Shelf Life:

N/a

# **Unit Of Measure:**

--

# Demilitarization:

No

# Fiig:

A039b0

# Mil-std (military Standard):

Mil-c-21097 spec.