Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-931-9988

## **Thread Class:**

2b

**Thread Direction:** 

**Right-hand** 

#### **Body Style:**

Straight edge type w/mounting flange

#### **Overall Length:**

1.844 inches

#### **Overall Height:**

0.716 inches

#### **Overall Width:**

0.343 inches

#### **Unthreaded Mounting Hole Diameter:**

0.128 inches

#### **Distance Between Mounting Facility Centers:**

# 1.532 inches

**Board Accommodated Length:** 

1.100 inches single board

#### **Threaded Device Type:**

Mounting hole

#### **Board Accommodated Width:**

Between 0.054 inches and 0.071 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

2 rows of independent contacts inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

#### **Contact Maximum Current Rating In Amps:**

5.0 single mating end single contact grouping

#### **Contact Maximum Ac Voltage Rating In Volts:**

600.0 single mating end single contact grouping

#### **Thread Length:**

0.250 inches

#### **Thread Size:**

0.112 inches

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

### **Contact Surface Treatment:**

Gold single mating end single contact grouping and copper single mating end single contact grouping

# NSN 5935-00-931-9988

Electrical Receptacle Connector - Page 2 of 2



Plastic dia	allyl phthalate single mating end
Contact \$	Surface Treatment Specification:
Mil-c-210	97 military specification single treatment response single mating end single contact grouping
Terminal	Туре:
Tab, sold	ler lug single mating end single contact grouping
Insert Ma	terial Specification:
Mil-m-14,	type sdg-f military specification single material response single mating end
Included	Contact Quantity:
44 single	mating end single contact grouping
Included	Contact Type:
Bifurcated	spring single mating end single contact grouping
Precious	Material And Location:
Contact s	urfaces gold
Precious	Material And Weight:
0.044 gold	d grains, troy
Precious	Material:
Gold	
Thread S	eries Designator:
Unc	
Shelf Life	9:
N/a	
Unit Of M	leasure:
Demilitar	ization:
No	
Fiig:	
A039b0	
Mil-std (n	nilitary Standard):
Mil-c-2109	97 spec.