Electrical Receptacle Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-00-934-3066

Thread C	Class:
2a	
Thread D	Direction:
Right-har	nd
Body Sty	/le:
Straight s	shape, external coupling
Overall L	Length:
1.531 inc	hes
Overall H	leight:
2.500 inc	hes
Overall V	Vidth:
2.500 inc	hes
Unthread	ded Mounting Hole Diameter:
Between	0.171 inches and 0.177 inches
Center T	o Center Distance Between Mounting Facilities Parallel To Height:
Between	1.933 inches and 1.943 inches
Distance	Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between	1.933 inches and 1.943 inches
Distance	From Mounting Shoulder To Front Face:
Between	0.875 inches and 0.885 inches
Threaded	d Device Type:
Coupling	facility
Mating E	nd Quantity:
1	
Contact	Position Arrangement Style:
36-12 sin	gle mating end
Contact	Removability:
Removab	ble single mating end single contact grouping
Contact	Maximum Current Rating In Amps:
13.0 sing	le mating end single contact grouping
Contact	Maximum Ac Voltage Rating In Volts:
500.0 sin	gle mating end single contact grouping
Contact	Maximum Dc Voltage Rating In Volts:
700.0 sin	gle mating end single contact grouping
Shell Typ	be:
Solid	
Connect	or Locking Method:
Externally	y threaded shell
Thread L	ength:
0.625 inc	hes
Thready	Qty Per Inch (tpi):
16	

## NSN 5935-00-934-3066

Electrical Receptacle Connector - Page 2 of 2



## **Thread Size:** 2.500 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:** Crimp single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Cadmium and chromate **Included Contact Quantity:** 48 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact suraces silver **Precious Material And Weight:** 0.048 gold grains, troy and 0.048 silver grains, troy **Precious Material:** Gold and silver **Thread Series Designator:** Un Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0